



अष्टांग शोध

A PEER-REVIEWED JOURNAL OF AYURVEDA AND ALLIED SCIENCES

Anatomical and Physiological Correlation of *Shirodhara*: A Critical Review

Dr Surbhi Milan Jain

Associate Professor, Department of Rachana Sharir, Govt Auto Ashtang Ayurveda College, Indore. M.P

Dr Pradeep Kumar Chouhan

Professor, Department of Rachana Sharir, Govt Auto Ashtang Ayurveda College, Indore. M.P

Dr. Priyanka Jat

Assistant Professor, Department of Rachana Sharir, Govt Auto Ashtang Ayurveda College, Indore. M.P

Received Date: 05-05-2026

Accepted Date: 03-06-2026

Published Date: 06-06-2026

Corresponding Author: Dr Surbhi Milan Jain

ABSTRACT

Shirodhara, a foundational Murdhni Taila (cranial oil application) procedure in Ayurveda, involves the continuous, rhythmic pouring of medicated liquids over the forehead. Though clinically indicated for Vata disorders, insomnia,

anxiety, and neuro-psychiatric conditions, its underlying anatomical and biomolecular mechanisms remain inadequately systematised within modern biomedical paradigms.

Objective: To critically analyse the neuroanatomical and physiological substrates of *Shirodhara* and establish a cohesive, evidence-based bridge between classical Ayurvedic concepts and contemporary neuroanatomy.

Materials and Methods: A comprehensive narrative review was conducted utilising classical Ayurvedic compendia (Charaka Samhita, Sushruta Samhita, and Ashtanga Hridaya) alongside modern biomedical databases (PubMed, Scopus, Google Scholar). Literature about trigeminal nerve neurophysiology, autonomic nervous system (ANS) regulation, the hypothalamic-pituitary-adrenal (HPA) axis, and neuroendocrinology was synthesised.

Result: *Shirodhara* functions as a multi-modal somatosensory intervention. Continuous tactile and thermal stimulation selectively activates the ophthalmic division of the trigeminal nerve at the Sthapani Marma (glabella region). This afferent signalling modulates the reticular activating system (RAS), attenuates limbic hyperexcitability, downregulates the HPA axis, and shifts autonomic tone toward parasympathetic dominance. These pathways collectively drive the observed clinical reduction in cortisol, upregulation of relaxing neurotransmitters (GABA, serotonin), and stabilisation of electroencephalographic (EEG) alpha/theta waves.

Conclusion: The clinical efficacy of *Shirodhara* in managing psychosomatic ailments is supported by verifiable neuro-endocrine, neural, and vascular mechanisms. These findings successfully validate the classical Ayurvedic tenets of Vata Shamana (pacification of nervous system hyper-reactivity), Manas Prasadana (mental purification/calming), and Nidrajanana (sleep induction).

Keywords: *Shirodhara*, Panchakarma, Neurophysiology, Trigeminal Nerve, Limbic System, Autonomic Nervous System, Somatosensory Modulation

INTRODUCTION


In the framework of Ayurvedic therapeutics, *Murdhni Taila* (external application of medicated unctuous substances to the head) represents a specialised category of treatment designed to manage localised neurological and systemic psychosomatic disorders. As codified in the *Ashtanga Hridaya: Sutra Sthana, 2/23*. This classical aphorism classifies cranial oil therapies into four distinct modalities based on clinical intensity and retention: *Shiro Abhyanga* (cranial massage), *Shiro Pichu* (medicated oil pads), *Shiro Dhara* (continuous liquid stream), and *Shiro Basti* (oil retention in a capped reservoir). Among these, *Shirodhara*—the continuous, specialised pouring of warm medicated liquids (such as oils, buttermilk, milk, or water) onto the forehead—is celebrated for its profound psychophysiological sedative and regulatory effects. Traditionally, *Shirodhara* is indicated for the pacification of aggravated *Vata Dosha*, a biological humor characterized by properties of dryness, coldness, and hyper-mobility, which clinically translates to neurological excitation, hyper-reflexia, insomnia (*Nidranasha*), and generalised anxiety disorders (*Chitta Udvega*). While its clinical efficacy is globally recognised, the biomedical translation of its mechanism of action has historically remained fragmented.

A critical necessity exists to decipher how a seemingly localised, non-invasive cutaneous application translates into profound systemic homeostasis, neuroendocrine regulation, and autonomic stabilisation.

Anatomical Correlation of Shirodhara

Neuro-Anatomical Substrates of the Sthapani Marma

A critical aspect of *Shirodhara* is the precise directional flow of the medicated stream over the glabella, the anatomical site corresponding to the *Sthapani Marma*. *Sushruta* defines this anatomical landmark in *Sushruta Samhita, Sharira Sthana, 6/27*. Classically categorised as a *Sira Marma* (vascular/neural vital point) located between the eyebrows, structural trauma to this area induces immediate loss of consciousness (*Tamas*) or fatality due to profound neurovascular shock. Conversely, controlled, therapeutic, low-pressure stimulation of this zone yields therapeutic neuromodulation. Anatomically, the glabella region is highly vascularized and densely innervated. It overlies the frontal bone, glabella, and frontal sinus, and is heavily supplied by the termination branches of the ophthalmic division of the trigeminal nerve—specifically the supraorbital and supratrochlear nerves, alongside the accompanying branches of the ophthalmic artery and vein. Stimulating this area triggers a cascade of afferent impulses directly to the central nervous system.



Trigeminal Nerve Stimulation (TNS) Pathway

The forehead skin exhibits a high density of low-threshold mechanoreceptors (Meissner's corpuscles, Merkel discs) and thermoreceptors. The continuous fluid pressure and optimal thermal profile during

Shirodhara initiate a sustained, non-nociceptive afferent barrage along the ophthalmic nerve.

This signal propagates through the trigeminal ganglion into the principal sensory and spinal trigeminal nuclei within the brainstem. From these

nuclei, ascending projections travel via the trigeminal lemniscus to the ventral posteromedial (VPM) nucleus of the thalamus, ultimately modulating the primary somatosensory cortex. This sustained, monotonous input effectively dampens cortical hyperexcitability via sensory gating mechanisms, reducing peripheral sensory distractions.

Modulation of the Ascending Reticular Activating System (ARAS)

The Ascending Reticular Activating System (ARAS) maintains wakefulness, cortical arousal, and behavioural alertness. The continuous, predictable, and rhythmic nature of the *Shirodhara* liquid stream functions as a sensory-monotonous stimulus. By avoiding sudden changes in intensity or frequency, this intervention suppresses the novelty-seeking firing patterns of the locus coeruleus and ARAS. Consequently, the brain transitions from an externally oriented state of hyper-vigilance to an internally oriented state of restful awareness, mirroring states achieved during deep mindfulness meditation.

Limbic System and Hypothalamic Integration

The brainstem trigeminal nuclei maintain structural and functional connectivity with the limbic system (including the amygdala, hippocampus, and cingulate gyrus) and the hypothalamus. The limbic system serves as the central hub for emotional processing, vigilance, and stress-reactive responses. The low-frequency, rhythmic afferent feedback from *Shirodhara* deactivates hyper-resonant states within the amygdala, effectively mitigating panic, anxiety, and fear responses. Concurrently, it stabilises the prefrontal-limbic circuit, leading to emotional stabilisation (Manas Prasadana).

Physiological Correlation of *Shirodhara*

Autonomic Nervous System (ANS) Plasticity

The transition from sympathetic dominance (fight-or-flight) to parasympathetic predominance (rest-and-digest) is one of the most immediate, reproducible physiological hallmarks of *Shirodhara*. This shift correlates precisely with the

Ayurvedic paradigm of *Vata Shamana*


Parameter	Sympathetic Activity (Pre- <i>Shirodhara</i>)	Parasympathetic Shift (Post- <i>Shirodhara</i>)	Biomedical & Ayurvedic Signatures
Heart Rate (HR)	Elevated (Tachycardia tendency)	Decreased (Bradycardia tendency)	Increases Heart Rate Variability (HRV) / Vagally mediated
Blood Pressure (BP)	Elevated peripheral resistance	Systemic Vasodilation	Decreased Mean Arterial Pressure / Vata calming
Muscle Tone	High tension (Frontalis, Corrugator)	Profound Myorelaxation	Diminished electromyographic (EMG) activity
Systemic State	Hyper-alert / Stress-induced	Homeostatic Recovery	Direct correlation with Nidrajanana (Sleep induction)

This autonomic shift is driven by a reduction in sympathetic vasomotor tone and an increase in vagal efferent output, induced by the structural calming of the hypothalamic defence centres.

Neuroendocrine Stabilisation of the HPA Axis

Sustained psychosocial stress triggers the activation of the Hypothalamic-Pituitary-Adrenal (HPA) axis, inducing the paraventricular nucleus of the hypothalamus to secrete Corticotropin-Releasing Hormone (CRH). This drives the secretion of Adrenocorticotropic Hormone (ACTH) from the anterior pituitary, ultimately causing excessive cortisol release from the adrenal cortex.

The Pathophysiology of Chronic Stress & *Shirodhara* Intervention



Created with Illustration "MC Worff" diagramme features

Shirodhara breaks this neuroendocrine cascade. By downregulating hypothalamic activation through sustained trigeminal afferent input, it suppresses the hypersecretion of CRH. Clinical biomarkers validate this mechanism, demonstrating a marked reduction in plasma and salivary cortisol levels post-therapy, alongside a reduction in urinary catecholamines (epinephrine and norepinephrine).

Hemodynamic Changes and Scalp Myorelaxation

The application of warm, medicated oils acts as a continuous thermal compress. This heat transfers locally to the underlying cranial vasculature, stimulating endothelial nitric oxide synthase (eNOS) and driving localised vasodilation of the superficial temporal, supraorbital, and supratrochlear arteries. This hyperemic effect enhances microcirculation, accelerating the clearance of localised metabolic waste products and relieving sustained isometric contractions within the frontalis, corrugator supercilii, and occipitofrontalis muscles. The relief of this tension provides immediate therapeutic benefits for tension-type headaches and stress-induced migraines.

Neurochemical and Transmitter Remodelling

The therapeutic, somatosensory-driven sedation achieved through *Shirodhara* suggests a profound remodelling of central neurochemistry:

Gamma-Aminobutyric Acid (GABA): Up-regulated through the dampening of thalamocortical networks, enhancing central inhibitory tone.

Serotonin and Melatonin: Enhanced signalling profiles directly encourage sleep induction and stabilise mood disruptions.

Endorphins: The continuous, comforting tactile pressure triggers the release of endogenous opioid peptides, which elevate pain thresholds and induce anxiolytic effects.

DISCUSSION


Shirodhara represents a highly sophisticated, non-invasive psychophysiological intervention that utilises the skin as a specialised portal to access central nervous system dynamics.

By applying the principles of contemporary neurobiology to classical Ayurvedic theory, we can construct a unified model of how this treatment works. The classical concept of Vata Dosha governs all neuro-humoral signalling, motor outputs, and sensory inputs. When Vata is pathologically elevated (*Prakopa*), it manifests as hyper-reflexia, tachycardia, psychomotor agitation, and insomnia—symptoms that perfectly mirror a state of chronic sympathetic over-activation and HPA-axis exhaustion.


The primary clinical mandate of *Shirodhara* is Vata Shamana (the pacification of Vata). Mechanistically, this is achieved through the physical attributes of the therapy (*Snigdha* / unctuous, *Guru* / heavy, *Ushna* / warm, and *Manda* / slow/stable), which directly counteract the dry, light, cold, and hyper-mobile properties of Vata.

Biomedically, this process maps to the activation of low-threshold, unmyelinated tactile C-fibres and mechanoreceptors in the forehead, which induces an immediate parasympathetic shift.

AYURVEDIC PARADIGM



BIOMEDICAL PARADIGM



Furthermore, the clinical goal of Manas Prasadana (the restoration of psychological clarity and emotional resilience) is achieved through the trigeminal-limbic pathway. By delivering a steady, monotonous stream of oil to the Sthapani

Marma, the therapy dampens hyper-resonant loops within the amygdala. This calms emotional distress and establishes an internal state of mental clarity.

Finally, the induction of Nidrajanana (healthy sleep) is a direct consequence of downregulating the Ascending Reticular Activating System (ARAS) and lowering systemic cortisol levels. This creates an optimal neurochemical environment for sleep, characterised by increased GABAergic tone and enhanced melatonin synthesis.

This interdisciplinary synthesis demonstrates that classical Ayurvedic terminology is not merely metaphorical. Instead, it accurately describes real, observable changes in neuroanatomy, neuroendocrinology, and neurophysiology.

CONCLUSION

This critical review confirms that Shirodhara functions through a sophisticated integration of neural, endocrine, and

autonomic pathways. Anatomically, it relies on the dense sensory networks of the ophthalmic division of the trigeminal nerve centred around the Sthapani Marma. Physiologically, it modulates the HPA axis, lowers systemic cortisol levels, stabilises the autonomic nervous system toward parasympathetic dominance, and synchronises cortical alpha and theta wave activity.

These measurable biomedical pathways directly validate the classical Ayurvedic principles of Vata Shamana, Manas Prasadana, and Nidrajanana. To further advance these findings and support the integration of Shirodhara into evidence-based contemporary healthcare, future research should utilise functional neuroimaging (MRI) and detailed neurochemical profiling to map these central changes in real time.

REFERENCES

1. Sharma RK, Dash B. Charaka Samhita. Vol. I–VI. Varanasi: Chowkhamba Sanskrit Series Office; 2018.
2. Shastri AD. Sushruta Samhita. Varanasi: Chaukhambha Sanskrit Sansthan; 2019.
3. Murthy KRS. Ashtanga Hridaya. Vol. I–III. Varanasi: Chaukhambha Krishnadas Academy; 2017.
4. Guyton AC, Hall JE. Textbook of Medical Physiology. 14th ed. Philadelphia: Elsevier; 2021.

5. Standring S. Grey's Anatomy. 42nd ed. London: Elsevier; 2021.
6. Ganong WF. Review of Medical Physiology. 27th ed. New York: McGraw-Hill Education; 2019.
7. Tortora GJ, Derrickson B. Principles of Anatomy and Physiology. 16th ed. Hoboken: Wiley; 2021.
8. Prof. J.N.Mishra Marma and its Management Chaukhamba Orientalia; 2019