



अष्टांग शोध

A PEER-REVIEWED JOURNAL OF AYURVEDA AND ALLIED SCIENCES

Ayurvedic Srotas with Special Reference to Microcirculation

Dr. Pradeep Kumar Chouhan

Professor & HOD Rachana Sharir, Govt. Ashtang Ayurved College & Hospital, Indore, MP, India

Dr. Sapna Malviya

Assistant Professor, Botany, BLP Govt. PG College, Mhow, Indore, MP, India

Dr. Surbhi Milan Jain

Associate Professor, Dept. of Rachana Sharir, Govt. Ashtang Ayurved College & Hospital, Indore, MP, India.

Dr. Priyanka Jat

Assistant Professor, Dept. of Rachana Sharir, Govt. Ashtang Ayurved College & Hospital, Indore, MP, India

Received Date: 09-05-2026

Accepted Date: 06-06-2026

Published Date: 12-06-2026

Corresponding Author: Dr. Pradeep Kumar Chouhan

ABSTRACT

In the ancient medical science of Ayurveda, Srotas are considered fundamental structural and functional entities of the human body, defined as micro-channels involved in the transportation of bio-materials. Despite their importance, practitioners often face challenges in diagnosing pathogenesis within specific Srotas due to linguistic complexities in classical texts and the subtle nature of these channels. This study presents an analytical and comparative approach to Srotas, correlating them with the biophysical phenomena of microcirculation. By examining Vedic and Ayurvedic literature, the research concludes that Srotas represent a comprehensive network—including capillaries, intracellular spaces, and large tubules—responsible for the circulation of fluids and the exchange of nutrients and waste. The integration of modern physiological concepts like osmosis, diffusion, and filtration provides a clearer understanding of "Srawan" (seepage/flow), bridging the gap between ancient wisdom and contemporary medical science.

Keywords: Ayurveda, Srotas, Channels, Transportation, Srawan

INTRODUCTION

Ayurveda defines the human body as an ultimate composition of Srotas. The term is etymologically derived from the Sanskrit root *Sru Gatao*, meaning to flow, move, or infiltrate. While classical texts like the *Charaka Samhita* and *Sushruta Samhita* describe Srotas as pathways for the transportation of *Dosha*, *Dhatu*, and *Mala*, there has been historical debate regarding their distinction from *Sira* (veins) and *Dhamani* (arteries).

Historically, the study of Srotas has presented a significant challenge for both scholars and practitioners. The primary difficulty lies in the transition from macro-anatomical structures to microscopic physiological functions. While macro-channels like the alimentary canal (*Maha Srotas*) are easily identified, the finer, "invisible" channels (*Anu Srotas*) responsible for cellular nutrition and waste removal are harder to define. This linguistic and conceptual "hardness" often leads to confusion in clinical diagnosis. For example, deciding the exact site of pathogenesis in a specific Srotas—such as the *Mutravaha* (urinary) or *Artavavaha* (menstrual) channels—requires an understanding that goes beyond surface anatomy.

For many scholars and beginners, deciding the particular point of a *Srotodushti* (pathology) remains a significant hurdle. This study aims to provide a definite principle for Srotas by viewing them through the lens of microcirculation, exploring how these "invisible" or "atomic" channels facilitate the essential functions of life, from cellular respiration to nutrient absorption.

This research article seeks to resolve these ambiguities by applying a Critical Analytical and Comparative Approach. By bridging ancient Ayurvedic principles with modern biophysical concepts of Microcirculation, we can define Srotas as the functional pathways of systemic exchange. This study explores the role of Srotas as the site of *Srawana*—the micro-level filtration and diffusion—correlating the traditional "Srotomukha" (channel openings) with the modern understanding of cell membrane permeability, osmosis, and capillary exchange. Through this lens, the "invisible" nature of Ayurvedic channels becomes a visible, scientifically measurable phenomenon of microcirculation.

MATERIAL AND METHOD

The methodology for this study involved a multifaceted literary review and analytical comparison:

1. **Literary Compilation:** Extensive research of Indian literature, including Vedic texts, Ayurvedic Samhitas (*Charaka*, *Sushruta*, *Vagbhata*), and Sanskrit grammar.
2. **Etymological Analysis:** Investigation of synonyms such as *Panth*, *Kha*, and *Ayanmukha* to define morphological and functional traits.

3. **Comparative Study:** Aligning Ayurvedic physiological descriptions with modern biophysical processes, specifically focusing on the mechanisms of the plasma membrane.
4. **Structural Examination:** Analyzing the *Panchabhautic* composition of Srotas, with a specific focus on *Akasha Mahabhuta* (space).

Observation and Discussion:

1. Morphological and Functional Diversity

Observations reveal that Srotas are not limited to one type of structure. They range from macroscopic (*Sthula*) tubes to microscopic (*Anu*) pores. Morphologically, they often take the color of the substance they transport and may appear reticulated (*Pratana*) in shape. Functionally, they are defined by "Srawanat Srotamsi"—the act of flowing or secreting.

2. The Concept of "Srawanat Srotamsi" and Biophysical Correlation

The defining characteristic of Srotas is *Srawana*, which refers to the process of oozing, trickling, or filtering. In this study, *Srawana* is observed as the ancient precursor to the modern understanding of micro-permeability. The observation highlights that transportation in the body is not merely the movement of fluid through a pipe (macro-circulation) but the selective exchange of materials across membranes (micro-circulation).

This exchange is facilitated by four primary biophysical processes:

- **Diffusion:** The movement of *Prana* (oxygen) from high concentration in the alveoli to lower concentration in the blood, and from blood to tissues.
- **Osmosis:** The movement of *Udaka* (body fluids/water) across plasma membranes to maintain cellular turgidity.
- **Filtration:** Pressure-driven movement (driven by the *Hridaya* or heart) that forces nutrients through the capillary walls into the interstitial spaces.
- **Active Transport:** The process by which *Dhatus* (tissues) selectively "pick up" nutrients against a concentration gradient, requiring cellular energy.

3. Morphological Observations: The Invisible Network

While macro-structures like the *Maha Srotas* (alimentary canal) are visible to the naked eye (*Sthula*), the majority of the Srotas system is *Anu* (atomic or microscopic). The study observes that Srotas are not distinct from the tissues they nourish; rather, every cell wall and interstitial space acts as a *Srotomukha* (opening).

- **Shape:** They are described as *Pratana* (reticulated or network-like), mirroring the appearance of the capillary bed.
- **Color:** They often adopt the color of the *Dhatu* they carry (e.g., *Raktavaha Srotas* appearing red).
- **Composition:** Dominance of *Akasha Mahabhuta* (space) is essential, as without space, the movement of *Prana* and *Rasa* would be impossible.

4. Functional Divergence: Sira, Dhamani, and Srotas

A significant point of discussion is the distinction made by Acharya Sushruta. While Charaka often uses these terms synonymously, this study supports the Sushruta school of thought that Srotas are functionally unique.

- **Siras (Veins):** Responsible for the "up-keep" or contraction/expansion.
- **Dhamanis (Arteries):** Responsible for "pulsation."
- **Srotas (Micro-channels):** Specifically responsible for the *Parivahan* (transformation and transport) of *Dhatu*. The discussion concludes that while *Siras* and *Dhamanis* are the "highways," Srotas are the "last-mile delivery" systems—the capillaries and pores where the actual biological work of nourishment (*Poshana*) occurs.

5. Clinical Pathogenesis: The Problem of Avarodha

The "hardness of language" in ancient texts often confuses beginners regarding diagnosis. The study observes that *Srotodushti* (channel dysfunction) usually manifests as:

- **Atipravrutti:** Excessive flow (e.g., diarrhea).
- **Sanga:** Obstruction (e.g., localized edema).
- **Siragranthi:** Formation of nodules (e.g., tumors).
- **Vimarga Gamana:** Flow in the wrong (opposite) direction (e.g., vomiting).

By correlating *Sanga* (obstruction) with concepts like increased capillary resistance or membrane thickening, the practitioner can better understand why *Mutravaha Sira* (urinary vessels) might show *Avarodha* (obstruction) even when the macroscopic organ seems intact.

6. Categorization of Specific Srotas

- **Pranavaha Srotas:** Identified as the network originating from the heart and lungs, extending to the cell membranes where oxygen exchange occurs.
- **Udakavaha Srotas:** Linked to the lymphatic system and fluid balance, with origin points

associated with the hypothalamus (*Talu*) and adrenal glands (*Kloma*).

- **Annavaha Srotas:** Related to the portal system and the absorption mechanisms of the digestive tract.

7. The Concept of Ayanmukha

The *Srotomukha Ayan* is consisting of two words: *Ayan* and *Mukha*. *Ayan* is derived from "*I/Ay Gatau Dhatu*" which means movement or motion or going on i.e. the structure through which different *Dravyas* going on the one place to another. The word *Mukha* is formed by much "*Mukhachedey Dhatu*", which means to drop or to be free or entrance. According to *Chakrapanidutta*, the word *Ayanani* means inlet or outlet, and *Mukha* means opening or pores. So, the term *Ayanmukha* (opening of the channel) is critical in microcirculation. It represents the "threshold" or permeability of membranes. In the context of pathology, an obstruction (*Avarodha*) at this minute openings prevent the nourishment of tissue, leading to systemic imbalance.

8. The Concept of Homeostasis

Finally, the discussion bridges the Ayurvedic concept of *Sama Dosha* with the modern concept of *Homeostasis*. When Srotas are clear (*Suddha*), the internal environment is stable. Any "clogging" of these micro-channels leads to a shift in pH, temperature, or nutrient levels, which Ayurveda describes as the accumulation of *Ama* (toxins). Therefore, Srotas are the primary site of both health and the initiation of disease.

CONCLUSION

The study establishes that Srotas are the functional pathways for every biological movement in the living body. They encompass all structures involved in transportation, including capillaries, nerves (*Nadis*), and even the pores of cell membranes.

The equilibrium of *Dosha*, *Dhatu*, and *Mala* within these channels is synonymous with "Homeostasis." By understanding *Srawan* as a combination of osmosis, diffusion, and filtration, Ayurvedic scholars can better interpret the pathogenesis of various diseases. Ultimately, the entire human body is a vast network of Srotas, and maintaining their patency is the key to *Arogya* (health).

REFERENCES

1. Shastri AD. *Sushruta Samhita (Dhamni Viyakaran Shariram Adhyaya) of Sushruta with Dalhana Commentary*. Varanasi: Chaukhambha Orientalia; 1954. Vol. 1. p. 69-72.
2. Chouhan PK. Ayurveda literary research study on some important aspects of Srotas. *J Drug Deliv Ther*. 2018;8(5):280-289.

3. Chouhan PK. Literary study on descriptions of Srotas in ancient Ayurveda texts. *Int J Ayush*. 2022;11(4):48-57.
4. Chouhan PK. A study of Srotas. *Ayushamrita*. 2007;1:85-90.
5. Chouhan PK. A critical study of Srotas with special reference to microcirculation [PhD thesis]. Jodhpur: Dr. Sarvepalli Radhakrishnan Rajasthan Ayurved University; 2012.
6. Dwarakanatha C. *Introduction to Kayachikitsa*. 3rd ed. Varanasi: Chaukhambha Orientalia; 1996. p. 372-391.
7. Ghanekar BG. *Sushruta Samhita: Sharira Sthana*. New Delhi: Meharchand Lakshmandas Publications; 2002. Vol. 1. p. 229-245.
8. Gour DS. *Parishadbha Shabdārtha Shariram*. Nagpur: Shri Baidhyanath Ayurved Bhavan Ltd.; 1982. Vol. 1.
9. Jha P. *Ashtanga Sangraha: Sharira Sthana with Subodhini Hindi Commentary*. Varanasi: Chaukhambha Orientalia; 1978. Vol. 1.
10. Parate M, Vyas S. Importance of Srotas: An overview. *J Ayurveda Integr Med Sci*. 2023;8(5):90-99.
11. Sen G. *Pratyaksha Shariram*. Parts 1-4. Varanasi: Krishnadas Academy; 2000.
12. Standring S, editor. *Gray's Anatomy: The Anatomical Basis of Clinical Practice*. 39th ed. London: Elsevier Churchill Livingstone; 2005.
13. Tortora GJ. *Principles of Anatomy and Physiology*. 7th ed. New York: Harper Collins College Publishers; 1993.
14. Parmar T, Sharma AK. Understanding Srotas in Ayurveda: A scientific evaluation of Khavaigunya. *J Ayurveda Integr Med Sci*. 2025;10(6):292-297.
15. Sharma PV. *Charaka Samhita*. Vol. 1. Srotovimaniya Adhyaya. Varanasi: Chaukhambha Orientalia; 1981. p. 590-597.
16. Dharmdatta V. *Sushruta Samhita: Sharira Sthana with Hindi Commentary*. Lahore: Sanskrita Pustakalaya; 1932. Vol. 1. p. 185-200.